

COVID-19 Visitation Guidelines for Nursing Facilities During an Outbreak Flowchart

A Staff Member or Resident tests positive for COVID-19 (COVID-19 Outbreak)

- Suspend all visitation except compassionate care visits.¹
- Immediately begin facility-wide COVID-19 outbreak testing.²
- Place all residents in quarantine and contact/droplet precautions (use of gowns and gloves).³
- Staff in close proximity to residents should wear fit-tested N95 masks and eye protection.³
- Identify residents and staff who have had prolonged close contact* with the case.³
- Contact your HAI POC or email hai@utah.gov.

Testing reveals no additional cases.

Testing reveals new cases only in the same area or unit as the original case.

Testing reveals one or more additional cases in other areas of the facility.

- Suspend indoor visitation for patient units or halls with a COVID-19 case, except for compassionate care visits.¹
- Patient units or halls with no COVID-19 cases may resume indoor visitation.¹

Suspend indoor visitation for all residents except for compassionate care visits.¹

For the duration of the COVID-19 outbreak until there are no new COVID-19 cases for 14 days:

- Residents with **prolonged close contact*** (*within 6 feet for 15 minutes or more cumulatively over 24 hours*) with the COVID-19 case should continue quarantine for 14 days.³
- Residents without prolonged close contact* with the case should generally be restricted to their rooms and consider halting communal dining and group activities.³
- Staff and residents from all units must continue to participate in outbreak testing every 3-7 days.²
- Staff in close proximity to residents should continue to wear fit-tested N95 masks and eye protection.³
- All residents should remain on contact/droplet precautions until there are no new COVID-19 cases for 14 days.³

References

1. Centers for Medicare & Medicaid Services. Updated April 27, 2021. QSO-20-39-NH-REVISED. <https://www.cms.gov/files/document/qso-20-39-nh-revised.pdf>
2. Centers for Medicare & Medicaid Services. Updated April 26, 2021. QSO-20-38-NH-REVISED. <https://www.cms.gov/files/document/qso-20-38-nh-revised.pdf>
3. Centers for Disease Control and Prevention. Updated March 29, 2021. Interim Infection Prevention and Control Recommendations to Prevent SARS-CoV-2 Spread in Nursing Homes. <https://www.cdc.gov/coronavirus/2019-ncov/hcp/long-term-care.html#evaluating-managing>

